

20 Jahre




## ***Product & Price List*** ***valid from 05/2014***

***INDIAM Diamantwerkzeuge GmbH***  
***Karl-Kuhn-Str. 14***  
***D- 55543 Bad Kreuznach***  
***Phone: + 49[0]671/75050***  
***Fax: +49[0]671/75040***  
***Email: info@indiam.de***  
***www.indiam.de***

© by ***INDIAM Diamantwerkzeuge GmbH***

***Your global solution supplier***



We offer an extensive range  
Diamond tools and machines for the  
professional usage.

If you have any further questions, please don't hesitate to contact us!



+49 (0) 671-75050



+49 (0) 671-75040



info@indiam.de




www.indiam.de

	<b>index</b>	<b>side</b>
<b>I</b>	floor saw / motor grinder asphalt	<b>4 - 5</b>
	floor saw / motor grinder concrete, granite, natural stone, clinker, green concrete etc.	<b>7 - 15</b>
	asphalt milling tool	<b>6</b>
	concrete milling tool	<b>9</b>
	milling tool 90°	<b>15 + 32</b>
<b>II</b>	masonry saw	<b>7 - 10</b>
		<b>12- 14</b>
<b>III</b>	large masonry saw	<b>16</b>
<b>IV</b>	angle grinder	<b>17 - 24</b>
	cup grinder	<b>27- 31</b>
	V-milling tool	<b>32</b>
	masonry milling tool	<b>32</b>
	milling cutter	<b>32</b>
<b>V</b>	natural stone working	<b>25</b>
<b>VI</b>	wall saw/ elektrik floor saw	<b>26</b>
<b>VII</b>	cup grinder special	<b>33</b>
	grinding plate	<b>34 - 35</b>
<b>VIII</b>	segments for corbits	<b>36</b>
	corebits	<b>37 - 39</b>
	corebits dry drilling system	<b>40</b>
	corebits ring sintered	<b>41</b>
	drilling accesories	<b>42</b>
	socket corebits	<b>43</b>
<b>IX</b>	Legend	<b>44</b>

**[DIAMOND SAWBLADE BASIC ASPHALT LASER]** 




- Application: Asphalt, abrasive materials
- Machines: 2 - 15 KW
- Above-average life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 3,2 x 10	18	1,8	
350	20/25,4	40 x 3,2 x 10	21	2,2	
400	25,4	40 x 3,4 x 10	24	2,2	
450	25,4	40 x 3,6 x 12	27	2,5	
500	25,4	40 x 3,8 x 12	30	2,5	
600	25,4	40 x 4,2 x 12	36	3,0	

**[DIAMOND SAWBLADE ASPHALT-LASER E 10]** 

- Application: Asphalt, abrasive materials
- Machines: 2 - 15 KW
- Above-average life




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	20	1,8	
350	20/25,4	40 x 3,0 x 10	24	2,2	
400	25,4	40 x 3,6 x 10	28	2,2	
450	25,4	40 x 3,6 x 10	32	2,2	
500	25,4	40 x 4,0 x 10	36	2,5	
600	25,4	40 x 4,6 x 10	40	3,0	
650	25,4	40 x 4,2 x 10	42	3,0	
700	25,4	40 x 4,6 x 10	45	3,5	
750	25,4	40 x 4,6 x 10	45	3,5	
800	25,4	40 x 4,8 x 10	52	3,5	
900	25,4	40 x 5,0 x 10	56	3,5	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**DIAMOND SAWBLADE ASPHALT-LASER S13]**   
*with patented forging 13 mm segment*


- Application: Asphalt, abrasive materials
- Machines: 2- 15 KW
- Long life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

**[DIAMOND SAWBLADE ASPHALT PROFESSIONAL]**   
*with patented forging 13 mm segment*

- Application: Asphalt, abrasive materials
- Machines: 2 - 15 KW
- Very long life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

**[DIAMOND SAWBLADE ASPHALT-PROFESSIONAL ASS]** 

- Application: Asphalt, abrasive materials
- Machines: 15 - 50 KW
- Long life



Ø MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SLANT SEGMENT PIECES	PRICE €
600	40 x 4,0 x 10	2,8	35/3	
700	40 x 4,6 x 10	3,5	40/5	
750	40 x 4,6 x 10	3,5	42/5	
800	40 x 4,6 x 10	3,5	45/5	
900	40 x 4,6 x 10	3,5	46/5	
1000	40 x 4,6 x 10	3,5	56/5	
1200	40 x 4,6 x 10	3,5	68/8	


OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[ASPHALT MILLING TOOL ASPHALT STANDARD]**



- Application: Asphalt, abrasive materials
- Machines: 4 - 15KW
- Long life




WEIDTH MM	SEGMENT HEIGHT MM	Ø 300 PRICE €	Ø 350 PRICE €	Ø 400 PRICE €
6,0	7,0			
8,0	7,0			
10,0	7,0			
12,0	7,0			
15,0	7,0			

**[ASPHALT MILLING TOOL PROFESSIONAL]**



- Application: Asphalt and abrasive materials
- Machines: 10 - 35 KW
- Very long life





WEIDTH MM	SEGMENT HEIGHT MM	Ø 300 PRICE €	Ø 350 PRICE €	Ø 400 PRICE €
6,0	10,0			
8,0	10,0			
10,0	10,0			
12,0	10,0			

**OTHER HOLES WITH A SURCHARGE.<sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE BASIC]** 

- Application: Concrete (also reinforced), general building materials
- Machines: 2 - 10 KW
- Above-average life






Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	21	1,8	
350	20/25,4	40 x 3,0 x 10	24	2,2	
400	25,4	40 x 3,2 x 10	28	2,2	
450	25,4	40 x 3,6 x 10	32	2,5	
500	25,4	40 x 3,6 x 10	36	2,5	
600	25,4	40 x 4,4 x 10	40	3,0	

**[DIAMOND SAWBLADE STANDARD]** 

*with patented forging 13 mm segment*

**NEW**

- Application: Concrete (also reinforced), granite, natural stone to Ø 400
- Machines: 2 - 10 KW
- Long life, fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	18	1,8	
350	20/25,4	40 x 3,2 x 13	21	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,2 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	3,0	

**[DIAMOND SAWBLADE SUPER-CONCRETE]** 

*with patented forging 17 mm segment Ø 300 bis 400 mm  
with patented forging 13 mm segment Ø 450 bis 600 mm*

**NEW**

- Application: Concrete (also reinforced), granite, natural stone to Ø 400
- Machines: 2 - 10 KW
- Very long life, fast cut






Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 17	19	1,8	
350	20/25,4	40 x 3,0 x 17	22	2,2	
400	25,4	40 x 3,2 x 17	24	2,2	
450	25,4	40 x 3,6 x 13	25	2,5	
500	25,4	40 x 3,6 x 13	30	2,5	
600	25,4	40 x 4,0 x 13	35	2,8	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE CONCRETE PROFESSIONAL]**  **NEW**  
*with patented forging 13 mm segment*

- Application: Concrete (also reinforced), concrete abrasiv
- Machines: 2 – 20KW
- Very long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 13	20	1,8	
350	20/25,4	40 x 3,0 x 13	24	2,2	
400	25,4	40 x 3,2 x 13	24	2,2	
450	25,4	40 x 3,6 x 12	25	2,5	
500	25,4	40 x 3,6 x 12	30	2,5	
600	25,4	40 x 3,6 x 12	34	2,8	
700	25,4	40 x 3,6 x 12	40	2,8	
800	25,4	40 x 3,6 x 12	45	2,8	

**[DIAMOND SAWBLADE CONCRETE PROFESSIONAL B1]** 

- Application: Cured concrete (also reinforced)
- Machines: 20 - 60 KW
- Very long life, fast cut



Ø MM	SANDWICH SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SEGMENT PIECES	PRICE €
500	40 x 4,0 x 12	2,8	36	
600	40 x 4,0 x 12	2,8	42	
600	40 x 4,6 x 12	3,5	42	
600	40 x 5,0 x 12	3,5	42	
650	40 x 4,6 x 12	3,5	39	
700	40 x 4,0 x 12	3,5	46	
750	40 x 4,6 x 12	3,5	42	
800	40 x 4,6 x 12	3,5	45	
900	40 x 4,6 x 12	3,5	46	
1000	40 x 4,6 x 12	3,5	56	
1200	40 x 4,6 x 12	3,5	68	


OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



[CONCRETE MILLING TOOL STANDARD] 


- Application: Concrete
- Machines: 7,5 - 15KW
- Long life



WEIDTH MM	SEGMENT HEIGHT MM	Ø 300 PRICE €	Ø 350 PRICE €	Ø 400 PRICE €
6,0	7,0			
8,0	7,0			
10,0	7,0			
12,0	7,0			
15,0	7,0			

[CONCRETE MILLING TOOL] 

- Application: Concrete
- Machines: 10 - 35 KW
- Very long life



WEIDTH MM	SEGMENT HEIGHT MM	Ø 300 PRICE €	Ø 350 PRICE €	Ø 400 PRICE €
6,0	10,0			
8,0	10,0			
10,0	10,0			
12,0	10,0			



OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE CLINKER SPECIAL]** 

**WITH PATENTED FORGING 13 MM SEGMENTS**

- Application: Hard clinker
- Machines: 2 – 10 KW
- Very long life, very fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	41,5 x 2,8 x 13	20	1,8	
350	20/25,4/30	40 x 3,0 x 13	24	2,2	

**[DIAMOND SAWBLADE WISPER-CUT]**  **NEW**

**with patented forging 13 mm segment**

- Application: Concrete (also reinforced), clinker etc.
- Machines: 2 – 10 KW
- Very fast cut, very long life
- **SILENCIO-core** (quiet section)





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE € RELAX-CORE	PRICE € SILENCIO-CORE
230	22,2/25,4/30	43,5 x 2,6 x 13	15		
300	20/25,4/30	40 x 3,0 x 13	18		
350	20/25,4/30	40 x 3,0 x 13	21		
400	20/25,4/30	40 x 3,2 x 13	24		

**[DIAMOND SAWBLADE MACRO-LASER]** 

**ARXX-segment-technology with control-placed diamonds in the matrix**

- Application: Concrete (also reinforced)
- Machines: 2 – 10 KW
- Very long life, fast cut





Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES TURBOSEGMENT	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4/30	40 x 3,2 x 12	21	1,8	
350	20/25,4/30	40 x 3,2 x 12	24	2,2	
400	20/25,4/30	40 x 3,2 x 12	28	2,2	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE MULTIDRIVE]** 

- Application: Concrete/asphalt, abrasive materials
- Machines: 2 - 7 KW
- Long life, fast cut




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTH MM	PRICE €
350	20/25,4	40 x 3,2 x 12	24	2,2	
400	25,4	40 x 3,2 x 12	28	2,2	

**[DIAMOND SAWBLADE ALLCUT]** 

VACUUM COATING FOR WORKING THE TOUGHEST MATERIALS

- Application: Stones of all kinds, steel, plastic, fiberglass, wood, etc.
- Machines: 2 - 7 KW
- Long life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 2,8 x 8	20	1,8	
350	20/25,4	40 x 3,0 x 8	24	2,2	


**[CUTTING DISC ROOT-CUT]** 

**NEW**

**Carbide tipped blade**

**No raise and no cleaning required**

- Application: Tree roots in soil, logs, plastic, rubber etc.
- Machines: 2 – 10 KW
- No blunting in ground



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4/30	6,4 x 10	25	--	
350	20/25,4/30	6,4 x 10	30	--	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO-G 15]**



- Application: Concrete, concrete products, clinker etc.
- Machines: 2 – 7 KW
- Above-average life, fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
350	20/25,4	40 x 3,4 x 15	24	

**[DIAMOND SAWBLADE TURBO-LASER E10]**



- Application: Concrete (also reinforced), clinker etc.
- Machines: 2 – 10 KW
- Above-average life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	22	
350	20/25,4	40 x 3,0 x 10	24	
400	25,4	40 x 3,2 x 10	28	
450	25,4	40 x 3,6 x 10	32	
500	25,4	40 x 3,6 x 10	40	
600	25,4	40 x 4,4 x 10	42	

**[DIAMOND SAWBLADE TURBO-LASER S10]**



- Application: Concrete (also reinforced), granite etc.
- Machines: 2 – 15 KW
- Above-average life, very fast cut




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
300	20/22,2/25,4	40 x 2,8 x 10	22	
350	20/25,4	40 x 3,2 x 10	24	
400	20/25,4	40 x 3,2 x 10	28	
450	25,4	40 x 3,4 x 10	32	
500	25,4	40 x 3,6 x 10	40	
600	25,4	40 x 4,2 x 10	42	
700	25,4	40 x 4,8 x 10	42	
800	25,4	40 x 4,8 x 10	52	
900	25,4	40 x 4,8 x 10	60	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO DYNAMIC]** 



- Application: Hard concrete (also reinforced), natural stone, ductile, clay pipes etc
- Machines: 2 – 7 KW
- above-average life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
300	20/22,2/25,4	3,2 x 9	Turbo	
350	20/25,4	3,2 x 9	Turbo	

**[DIAMOND SAWBLADE TURBO P15]** 



- Application: Concrete (also reinforced), natural stone, granite etc.
- Machines: 2 - 7 KW
- very long life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTH MM	PRICE €
300	20/22,2/25,4	40 x 3,0 x 15	18	2,0	
350	20/25,4	40 x 3,2 x 15	21	2,0	
400	20/25,4	40 x 3,2 x 15	24	2,2	
450	25,4	40 x 4,0 x 15	25	2,5	

**[DIAMOND SAWBLADE ULTRA-SPEED TURBO]**  **NEW**  
WITH PATENTED FORGING. 13 MM SEGMENTS

- Application: Concrete (also reinforced), conditional granite
- Machines: 2 – 10 KW
- **Extreme fast cut, very long life, self-cooling, nearly vibration-free**



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
300	20/25,4	40 x 2,8 x 13	20	1,8	
350	20/25,4	40 x 3,0 x 13	24	2,2	
400	20/25,4	40 x 3,2 x 13	28	2,2	




**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE *MASTERCUT TURBO*]** 

**WITH PATENTED FORGING 17 MM TURBO SEGMENTS**



- *Super-professional quality laser*
- *Application: Granite, concrete (also reinforced), ductile etc.*
- *Very long life, very fast cut, self-cooling, nearly vibration-free*



<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES TURBO SEGMENT</b>	<b>STEEL CENTER WIDTH MM</b>	<b>PRICE €</b>
<b>300</b>	20/22,2/25,4	40 x 2,8 x 17	19	2,0	
<b>350</b>	20/25,4/30	40 x 3,0 x 17	22	2,0	
<b>400</b>	40/25,4	40 x 3,2 x 17	26	2,2	

**[DIAMOND SAWBLADE *POWER-FE*]** 

- *Application: Structural steel (max. 30mm thick), steel, iron, ductile iron*
- *Long life*




<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>STEEL CENTER WIDTH MM</b>	<b>PRICE €</b>
<b>350</b>	20/25,4	40 x 2,8 x 7	24	2,0	
<b>400</b>	25,4	40 x 3,2 x 7	28	2,2	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE FB-P – GREEN CONCRETE]** 


- Application: Green concrete industrial- and hall floors
- Machines: 7,5 - 25 KW
- Long life



Ø MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SEGMENT PIECES	PRICE €
350	40 x 2,8 x 10	2,0	24	
400	40 x 3,2 x 10	2,2	28	
450	40 x 3,2 x 10	2,2	32	
500	40 x 3,6 x 10	2,5	36	
600	40 x 4,4 x 10	3,2	42	
800	40 x 4,8 x 10	3,5	52	

**[DIAMOND SAWBLADE FB-A – GREEN CONCRETE]** 

- Application: Green concrete, Asphalt
- Machines: 11 - 50 KW
- Very long life




Ø MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	SEGMENT PIECES	PRICE €
350	40 x 3,2 x 10,5	2,2	25/3	
400	40 x 3,2 x 10,5	2,5	28/4	
450	40 x 3,6 x 10,5	2,5	32/4	

**[MILLING TOOL 90° PROFESSIONAL (1 FEW)]** 

High-Chamfering for 45 ° chamfers of joints in *asphalt or concrete*  
Professional design for excellent durability  
by very close interaction, very clean joint edges

- Application: chamfering kerf
- Machines: 11 – 50 KW



Ø / BORE MM	SEGMENT-DIMENSION MM	SEGMENTPIECES	APPLICATION	PRICE €
280/25,4	9,5 x 9,5 x 50	2 x 25	Premium	


OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE BSS]** 

- *Application: sandlime brick, poroton, Bimsstein, sandstone, concrete products in varying use*
- *Machines: bis 7,5 KW*



<b>Ø MM</b>	<b>BORE MM</b>	<b>SEGMENT DIMENSION MM</b>	<b>SEGMENT PIECES</b>	<b>PRICE €</b>	<b>DETENSO-CORE PRICE €</b> 
<b>625</b>	60	40 x 4,0 x 10	38		
<b>650</b>	25,4	40 x 4,0 x 10	40		
<b>700</b>	60	40 x 4,4 x 10	43		
<b>750</b>	60	40 x 4,4 x 10	45		
<b>800</b>	60	40 x 4,4 x 10	48		
<b>860</b>	60/40	40 x 4,4 x 10	44		
<b>900</b>	60/55	40 x 4,5 x 10	52		
<b>1000</b>	60	40 x 4,5 x 10	58		


**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



**[DIAMOND SAWBLADE BAU-UNI]** 



- Application: Half hardness concrete, general building materials
- low-priced diamond sawblade, sintered



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	38 x 2,0 x 10	8	1,5	
125	22,2	37 x 2,0 x 10	9	1,5	
230	22,2	39 x 2,6 x 10	16	1,8	

**[DIAMOND SAWBLADE TURBO-LASER – E10]** 


- Application: Half hardness concrete, general building materials
- Average life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
115	22,2	31 x 2,0 x 10	9	
125	22,2	31 x 2,1 x 10	10	
230	22,2	40 x 2,4 x 10	16	

**[DIAMOND SAWBLADE LASER – BASIC]** 

- Application: Half hardness concrete, general building materials
- Average life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	PRICE €
115	22,2	31 x 2,0 x 10	9	
125	22,2	31 x 2,1 x 10	10	
230	22,2	40 x 2,4 x 10	16	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>



<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE STANDARD]**



WITH PATENTED FORGING 13 MM SEGMENTS

- Application: Concrete (also reinforced), granite, general building materials
- Long life, fast cut




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	35 x 2,4 x 13	8	1,5	
125	22,2	35 x 2,4 x 13	9	1,5	
150	22,2	35 x 2,4 x 13	11	1,5	
180	22,2	35 x 2,4 x 13	13	1,5	
230	22,2	40 x 2,6 x 13	15	1,8	

**[DIAMOND SAWBLADE CONCRETE PROFESSIONAL]**



WITH PATENTED FORGING 13 MM SEGMENTS

- Application: Concrete (also reinforced), concrete products
- Very long life, very fast cut




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	CORE	PRICE €
125	22,2	42 x 2,4 x 13	9	Core hole	
150	22,2	40 x 2,4 x 13	11	Core hole	
230	22,2	43 x 2,6 x 13	15	Core hole	

**[DIAMOND SAWBLADE POWER FE]**



- Application: steel ( max. 30 mm thick), sheet-steel, iron, grey iron
- Long life




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES SHORT TEETH	STEEL CENTER WIDTH MM	PRICE €
230	22,2	40 x 2,4 x 7	16	1,8	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE ABRASIVE PROFESSIONAL]** 



- Application: abrasive materials, green concrete, fire-proof materials
- Very long life



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	35 x 2,4 x 10	8	1,8	
125	22,2	35 x 2,4 x 10	9	1,8	
135	30 + 4 NL	35 x 2,4 x 10	9	1,8	
150	22,2	35 x 2,4 x 10	11	1,8	
180	22,2	35 x 2,4 x 10	13	1,8	
200	22,2	40 x 2,4 x 10	13	1,8	
230	22,2	40 x 2,6 x 10	16	1,8	

**[DIAMOND SAWBLADE GRANITE PROFESSIONAL]** 



- Application: Hard natural stone, granite
- Very long life, very fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
115	22,2	2,4 x 10	8	1,5	
125	22,2	2,4 x 10	9	1,5	
180	22,2	2,4 x 10	13	1,5	
200	22,2/25,4	2,6 x 10	13	1,5	
230	22,2	2,6 x 10	16	1,8	

**[DIAMOND SAWBLADE *MASTERCUT TURBO*]**  **NEW**  
WITH PATENTED FORGING 17 MM TURBO SEGMENTS

- Super-professional quality laser
- Application: Granite, concrete (also reinforced), ductile etc.
- Extreme cut, very long life, self-cooling, nearly vibration-free




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES TURBO SEGMENT	STEEL CENTER WIDTH MM	PRICE €
230	22,2	40 x 2,8 x 17	16	2,0	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO DYNAMIC]** 


- Application: Hard concrete (also reinforced), granite, natural stone etc.
- above-average life, fast and exactly cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	2,2 x 8,5	<i>Turbo</i>	
125	22,2	2,2 x 8,5	<i>Turbo</i>	
230	22,2	2,4 x 9	<i>Turbo</i>	
300	20/22,2/25,4	2,9 x 9	<i>Turbo</i>	

**[DIAMOND SAWBLADE TURBO SDU]** 

- Application: Concrete (also reinforced), hart clay tubes, pebble dashed, granite
- Very long life, fast and exactly cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	2,2 x 6	<i>Turbo</i>	
125	22,2	2,2 x 6	<i>Turbo</i>	
150	22,2	2,2 x 6	<i>Turbo</i>	
180	22,2	2,4 x 6	<i>Turbo</i>	
230	22,2	2,6 x 7	<i>Turbo</i>	
300	20,0	2,6 x 7	<i>Turbo</i>	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE TURBO DX] 1,4 MM THICK** 

- Application: very hard ceramics, tiles, granite etc.
- Very fast cut + less dust
- Solid core with reinforced flange
- Premium quality



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	1,4 x 10	<i>Turbo</i>	
125	22,2	1,4 x 10	<i>Turbo</i>	

**[DIAMOND SAWBLADE TURBO SL] 1,2 MM THICK** 

- Application: very hard ceramics, granite, clinker etc.
- Very fast cut + less dust
- Solid core with reinforced flange
- Premium quality



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH	PRICE €
115	22,2	1,2 x 7	<i>Turbo</i>	
125	22,2	1,2 x 7	<i>Turbo</i>	
180	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
200	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
230	22,2/25,4/30	1,6 x 7	<i>Turbo</i>	
250	25,4/30	1,6 x 7	<i>Turbo</i>	
300	25,4/30	2,0 x 7	<i>Turbo</i>	
350	25,4/30	2,0 x 7	<i>Turbo</i>	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE FL-ECO]** 

- Application: Tiles, general building materials, „very good price“
- Machines: 1 - 3 KW



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	PRICE €
110	22,2	1,6 x 5	1,3	
125	22,2	1,7 x 5	1,3	
200	25,4	2,0 x 5	1,4	
230	22,2	2,0 x 5	1,4	

**[DIAMOND SAWBLADE SM-Y]** 

- Application: Tiles, natural stone, ceramics, „very fine cut“
- Machines: 1 - 3 KW
- Fast cut



Ø MM	BORE MM	SEGMENT DIMENSION MM	STEEL CENTER WIDTH MM	PRICE €
115	22,2	1,6 x 7	1,2	
125	22,2	1,6 x 7	1,2	
150	22,2	1,6 x 7	1,2	
180	22,2/25,4	1,6 x 7	1,2	
200	25,4/30	1,6 x 7	1,2	
230	22,2	2,1 x 7	1,6	
250	25,4/30,0	1,6 x 7	1,6	
300	25,4/30,0	2,0 x 7	1,6	
350	25,4/30,0	2,4 x 7	1,8	

**[DIAMOND SAWBLADE GALVANO]** 

**ELECTRO PLATED**

- Application: Marble, travertine



Ø MM	BORE MM	PRICE €
115	22,2	
125	22,2	
180	22,2	
230	22,2	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SAWBLADE GF]** 

- Application: Glass tiles, ceramics, natural stone tiles etc.
- Machines: 1 - 3 KW
- extra thin



Ø MM	BORE MM	SEGMENT DIMENSION MM	PRICE €
115	22,2	0,8 x 10	
125	22,2	0,8 x 10	
200	25,4	1,9 x 8	
250	25,4	2,0 x 8	

**[DIAMOND SAWBLADE ALLCUT]** 

**VACUUM COATING FOR WORKING THE TOUGHEST MATERIALS**

- Application: Stones of all kinds, steel, plastic, fiberglass, wood, etc.
- Machines: 1- 3 KW
- Long life, fast cut




Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
125	22,2	32 x 2,4 x 6	10	1,4	
230	22,2	40 x 2,6 x 6	16	1,6	

**[DIAMOND SAWBLADE MSF FOR WALL CHASER]**  **NEW**

**WITH PATENTED FORGING 13 MM SEGMENTS**

- Application: Concrete, masonry, dense sand lime brick etc.
- Very long life, very fast cut, self-cooling (no chill breaks)
- reinforced core, wider segments



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
125	22,2	40 x 2,6 x 13	9	1,8	
150	22,2	40 x 2,6 x 13	11	1,8	
180	22,2	41 x 2,6 x 13	13	1,8	
200	22,2	43 x 2,6 x 13	14	1,8	

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



[CUTTING DISC ROOT-CUT] 

**NEW**

**Carbide tipped blade**



**No raise and no cleaning required**

- Application: Tree roots in soil, logs, plastic, rubber etc.
- Machines: 2 – 10 KW
- No blunting in ground



Ø MM	BORE MM	SEGMENT DIMENSION MM	SEGMENT PIECES	STEEL CENTER WIDTH MM	PRICE €
125	22,2	6,4 x 10	10	--	
230	22,2	6,4 x 10	15	--	

[PARTNERRING] 



Ø / BORE MM	SEGMENT- DIMENSION MM	SEGMENT PIECES	APPLICATION	PRICE €
350	4,0 x 10	22	Concrete/sandlime brick	

*Incl. rolls for Partner-machine 3500*

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



**[DIAMOND SAWBLADE-NATURAL STONE GRANITE]** 

- Application: Mixed granits



Ø MM	SEGMENT DIMENSION MM	SEGMENT PIECES	SEGMENT HEIGHT 10MM PROFESSIONAL LASER PRICE €	SEGMENT HEIGHT 10MM SHORT TEETH SILENCIO TO Ø 800 PRICE €	SEGMENT HEIGHT 20MM SHORT TEETH SILENCIO TO Ø 800 PRICE €
250	40 x 2,8	15/30			
300	40 x 2,8	20/36			
350	40 x 3,2	24/42			
400	40 x 3,4	48			
450	40 x 3,6	50			
500	20 x 3,7	60			
600	20 x 5,3	72			
625	20 x 4,6	72			
650	20 x 5,0	76			
700	20 x 5,0	80			
900	20 x 4,6	104			

Other dimensions possible

**[DIAMOND SAWBLADE-NATURAL STONE MARBLE]** 

SANDWICH-CORE, SANDWICH-SEGMENTS Ø 300 - 400

- Application: Marble



Ø MM	SEGMENT DIMENSION MM	BORE MM	SEGMENT PIECES	SEGMENT HEIGHT 10 MM PRICE €
250	40 x 2,8 x 7	25,4/30	17	
300	40 x 3,0 x 10	25,4/30	21	
350	40 x 3,0 x 10	25,4/30	25	
400	40 x 3,2 x 10	60	28	

Other dimensios possible.

Grinding-, milling- and profiling tools possible.

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[WAND SAW BLADE WSV-PROFESSIONAL]**



**NEW**

**WITH PATENTED FORGING 20 MM SEGMENTS**

- Application: Concrete (also reinforced), pebble dashed
- Machines: 1 - 25 KW (Electro, high frequency, hydraulic)
- Very long life, very fast cut




<b>Ø</b> <b>MM</b>	<b>SEGMENT DIMENSION</b> <b>MM</b>	<b>SEGMENT PIECES</b>	<b>PRICE</b> <b>€</b>
<b>600</b>	46 x 5,1/4,9 x 20	36	
<b>650</b>	46 x 5,1/4,9 x 20	38	
<b>700</b>	46 x 4,8/4,6 x 20	40	
<b>800</b>	46 x 4,7/4,5 x 20	46	
<b>900</b>	46 x 4,7/4,5 x 20	48	
<b>1000</b>	46 x 4,5/4,3 x 20	52	
<b>1200</b>	46 x 4,5/4,3 x 20	62	
<b>1500</b>	46 x 4,5/4,3 x 20	76	
<b>1600</b>	46 x 4,5/4,3 x 20	80	

**OTHER HOLES WITH A SURCHARGE. <sup>1</sup>**

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER BASIC]** 


- Application: Concrete, cement (grinding coarse)



Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
115	22,2	22	Segmented double-rim	
125	22,2	22	Segmented double-rim	
175	22,2	25	Segmented double-rim	
180	22,2	25	Segmented double-rim	

**[DIAMOND-CUP GRINDER PRO]** 


- Application: Natural stone, concrete or abrasive materials



Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
100	22,2	22	Segmented single-rim	
110	22,2	22	Segmented single-rim	
125	22,2	22/25	Segmented single-rim	
180	22,2	30/25/22	Segmented single-rim	
100	22,2	22	Segmented double-rim	
115	22,2	22	Segmented double-rim	
125	22,2	22	Segmented double-rim	
148	19 + 5 NL	25	Segmented double-rim	
175	22,2	25	Segmented double-rim	
180	22,2	30/25/22	Segmented double-rim	
230	22,2	46	Segmented double-rim	

**[DIAMOND- CUP GRINDER TURBO PRO]** 

- Application: Natural stone, concrete or abrasive materials



Ø MM	BORE MM		TYPE	PRICE €
100	M14/22,2		Turbo	
125	M14/22,2		Turbo	
180	M14/22,2		Turbo	



OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.


**[DIAMOND-CUP GRINDER]** 

Vacuum double coating


- Removal of epoxy, paint, paint, glue, etc.
- Sandwich detenso core (rubber mounted)



Ø MM	BORE MM	HEIGHT MM	TYPE	PRICE €
125	22,2		Plano	
178	22,2		Plano	

**[DIAMOND-CUP GRINDER (LIKE BOSCH)]** 

- Application: Concrete, natural stone **or** abrasive materials
- Machines: angle grinder, grinding machine with dust extraction



Ø MM	HEIGHT MM	TYPE	PRICE €
125/22,2	22	Concrete B2 or abrasive B2A	
180/22,2	22	Concrete B2 or abrasive B2A	

**[DIAMOND-CUP GRINDER]** 

**NEW**

- Application: Concrete, cement (yellow) **or** granite, concrete, cement (green)
- High performance
- Very long life



**Patented**




Ø / BORE MM	MACHINE	SEGMENT PIECES	TYPE	PRICE €
148/19 + 5 NL	Hilti	10	Boomy (yellow)	
148/19 + 5 NL	Hilti	10	Boomy (green)	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER]** 

- Application: Concrete, natural stone **or** abrasive materials




Ø / BORE MM	MACHINE	HEIGHT MM	TYPE	PRICE €
125 / 22,2	Hilti	22	IS2010 or IS2010 abrasive	
148 / 19 + 5NL		19	IS2010 or IS2010 abrasive	
180 / 22,2		25	IS2010 or IS2010 abrasive	

**[DIAMOND-CUP GRINDER PCD]** 

For peeling


- Extreme fast and effective cut by very long life
- Application: epoxid-resin-coats, colour-coats, rests of adhesive etc.
- 



Ø / BORE MM	SEGMENT PIECES	HEIGHT MM	TYPE	PRICE €
125 / 22,2	6	22	PCD	
178 / 22,2	8	22	PCD	

**[DIAMOND-CUP GRINDER]** 

- Application: Concrete, natural stone **or** abrasive materials




Ø / BORE MM	HEIGHT MM	TYPE	PRICE €
100 / 22,2	20	Vector or Vector abrasive	
115 / 22,2	20	Vector or Vector abrasive	
125 / 22,2	22	Vector or Vector abrasive	
150 / 23,0	23	Vector or Vector abrasive	
178 / 22,2	30	Vector or Vector abrasive	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER BUTTERFLY]** 


- Application: Concrete, concrete abrasive, concrete screed etc.
- Induction-welded for maximum smoothness



Ø / BORE MM	HEIGHT MM	MACHINES	SEGMENT PIECES	PRICE €
115 / 22,2	22	for Hilti Flex with suction	5	
125 / 22,2	22		6	
150/19			7	
180 / 22,2	22,5		8	
180 / 22,2	30		8	

**[DIAMOND-CUP GRINDER ZERO]** 


- Application: Concrete, natural stone, concrete screed etc.
- Super-Professional quality



Ø / BORE MM	HEIGHT MM	MACHINES	SEGMENT PIECES	PRICE €
100 / 22,2	22	for Hilti Flex with suction	8 [small]	
115 / 22,2	22		8 [small]	
125 / 22,2	22		8 [large]	
130 / 22,2	22		8 [large]	
150 / 19			10 [large]	
180 / 22,2	22,5		10 [large]	
180 / 22,2	35		10 [large]	

**[DIAMOND-CUP GRINDER ZERO-EPOXI]** 

- Application: peeling and milling of epoxy resin
- Super-Professional quality




Ø / BORE MM	HEIGHT MM	MACHINE	SANDWICH SEGMENT	PRICE €
100 / 22,2	22	for Hilti Flex with suction	8	
125 / 22,2	22		8	
150 / 19			10	
180 / 22,2	22,5		12	
180 / 22,2	35		12	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-CUP GRINDER RAPTOR]** 



- Application: Coatings, adhesive residues and concrete in one operation
- Super-Professional quality



Ø / BORE MM	MACHINES	HEIGHT MM	SEGMENT PIECES	PRICE €
125/22,2		19	8	
148/19 + 5 NL	Hilti	19	10	

**[DIAMOND-CUP GRINDER GIRAFFE]** 


- Application: Concrete, concrete products, concrete screed etc.
- Machines: for Flex Giraffe



Ø / BORE MM	SEGMENT PIECES	HEIGHT MM	TYPE	PRICE €
125/28/23,5	10	22	Giraffe	

**[DIAMOND-CUP GRINDER STRATO]** 

- Application: Concrete, concrete products, epoxy resins, hard screed etc. (silver)  
or Screed, cement plaster, fresh concrete etc. (black)
- Machine: for Retec scouring machine





Ø / BORE MM	SEGMENT PIECES	HEIGHT MM	TYPE	PRICE € COMPLETE	PRICE € RING
115/M14	8	22	STRATO / STRATO abr.		

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND -V-MILLING TOOL]** 


- Application: Concrete, concrete screed, asphalt



Ø MM	BORE MM	TYPE	PRICE €
110	22,2	V-milling tool	
125	22,2	V-milling tool	
125	22,2	V-milling tool 90°	
178	22,2	V-milling tool	
230	22,2	V-milling tool	
230	22,2	V-milling tool 90°	


**[DIAMOND-MASONRY MILLING TOOL]** 

- Application: Masonry, mortar, plaster



WIDTH MM	SEGMENT HEIGHT MM	BORE MM	Ø 115 PRICE €	Ø 125 PRICE €	Ø 180 PRICE €	Ø 230 PRICE €
4,5	6,0	22,2				
6,4	6,0	22,2				
8,0	6,0	22,2				
10,0	6,0	22,2				

**[DIAMOND-MILLING CUTER]** 



Ø / BORRE MM	SEGMENT PIECES	SEGMENT MM	TYPE	PRICE € 5 SIDE CUTTERS	PRICE € 6 SIDE CUTTERS
150 / 25,4	30/32	20 x 5 x 6,2	asphalt/concrete		


OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



**[DIAMOND-CUP GRINDER]** 



- floor grinding, fine grinding, treads



Ø / BORE MM	SEGMENT PIECES	SEGMENT MM	TYPE	PRICE €
250 / 30	13	40 x 10 x 10	yellow (eco universal)	
250 / 30	20	40 x 10 x 10	red (concrete)	
250 / 30	20	40 x 10 x 10	green (universal)	
250 / 30	20	40 x 10 x 10	blue (abrasive materials)	
250 / 30	20	40 x 10 x 10	silver (very abrasive materials)	

**[DIAMANT-CUP GRINDER EPO]** 

- floor grinding
- Application: Thermoplastic coatings, color etc.



Ø / BORE MM	SEGMENT DIMENSION MM	PKD PIECES	TYPE	PRICE €
250/19	40 x 10 x 9	5 x ½ PKD	EPO 1 (blau)	
250/19	40 x 10 x 9	2 x 5 x ¼ PKD	EPO 2 (schwarz)	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

[DIAMOND-GRINDING PLATE] 

- Coarse grinding




TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-2-B	2	40 x 10 x 10	20 (coarse)	Concrete (red)	
DSS-2-U	2	40 x 10 x 10	20 (coarse)	universal (green)	
DSS-2-A	2	40 x 10 x 10	20 (coarse)	abrasive materials (blue)	

- Coarse grinding with PCD-Split-share



TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-2-P	2	40 x 10 x 10	6 (very coarse)	concrete abrasive, screed, thermoplastic coatings, epoxies, paints, protective coatings	

- Coarse grinding + Peeling



TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-1-2-AP	1 segment + 2 PCD-segments	40 x 10 x 10	20 (grob)	thermoplastic coatings, epoxies, paints, protective coatings	

- Peeling



TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-2-PD	2 PCD-segments	----	----	thermoplastic coatings, epoxies, paints, protective coatings	

ANDERE BOHRUNGEN GEGEN AUFFREIS MÖGLICH <sup>1</sup>

<sup>1</sup> Preis in EURO per Stück, ab Lager zuzüglich MWSt. Es gelten unsere allgemeinen Verkaufs- und Lieferbedingungen.

[DIAMANT-GRINDING PLATE] 

- Suitable for Contec grinding machine
- Medium grinding



TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-2-BC	2	40 x 10 x 10	30/40 (medium)	Concrete, hard materials	

- Suitable for Contec grinding machine
- Coarse grinding with PCD-Split-share



TYPE	SEGMENT PIECES	SEGMENT MM	GRAIN SIZE	APPLICATION	PRICE €
DSS-2-PC	2	40 x 10 x 10	20 (coarse)	concrete abrasive, screed, thermoplastic coatings, epoxies, paints, protective coatings	

OTHER HOLES WITH A SURCHARGE. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[SEGMENTS FOR COREBITS]** 

- Roof segments facilitates drilling



<b>DIMENSION MM</b>	<b>Ø MM</b>	<b>PREMIUM CONCRETE 10 MM ROOF SEGEMENT PRICE €</b>
24 x 3,5	40-110	
24 x 4,0	107-272	
24 x 4,5	182-272	
24 x 5,0	Ø 300+	

**[SEGMENTS FOR COREBITS]** 

- Reduced friction through Turbo form




<b>DIMENSION MM</b>	<b>Ø MM</b>	<b>PREMIUM CONCRETE 10 MM TURBO SEGMENT PRICE €</b>
24 x 3,5	40-110	
24 x 4,0	107-272	
24 x 4,5	182-272	
24 x 5,0	Ø 300+	

**[SEGMENTS FOR COREBITS]** 

**NEW**

- **ARXX**- technology with control-placed diamonds in the matrix
- Extremely quiet and smooth drilling
- Very long life, high drilling speed



<b>DIMENSION MM</b>	<b>Ø MM</b>	<b>ARXX CONCRETE 9 MM BLOCK SEGMENT PRICE €</b>
24 x 3,5	50 - 150	
24 x 4,0	151 - 180	
24 x 4,6	181 - 400	
24 x 5,0	200 - 600	



The segment width you can choose from the present tube thickness (for example 2 mm – segment width 3,5 mm)

**OTHER HOLES WITH A SURCHARGE.** <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT PROFESSIONAL LASER WITH ARXX-TECHNOLOGY]** 

- Application: Concrete (also reinforced)
- Connection: 1 1/4"
- Standard length: 450 mm
- Machines: 1 – 20 KW



Ø MM	CONCRETE LASER WITH ARXX-SEGMENT-TECHNOLOGY		PRICE €
	DIMENSION MM	PIECES	
52	24 x 3,6 x 10	5	
62	24 x 3,6 x 10	6	
72	24 x 3,6 x 10	7	
82	24 x 3,6 x 10	8	
102	24 x 3,6 x 10	9	
112	24 x 3,6 x 10	10	
122	24 x 3,6 x 10	10	
132	24 x 4,1 x 10	11	
152	24 x 4,1 x 10	13	
162	24 x 4,1 x 10	14	
172	24 x 4,1 x 10	14	
182	24 x 4,1 x 10	15	
202	24 x 4,1 x 10	15	

The roof segments facilitate the drilling, the laser welding guarantees maximum security.

1

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND COREBIT LASER]** 

- Application: Concrete(also reinforced), masonry
- Connection: 1 1/4"
- Standard length: 400 mm
- Machines: 1 – 20 KW



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
42	24 x 3,5 x 10	4	
52	24 x 3,5 x 10	5	
57	24 x 3,5 x 10	5	
62	24 x 3,5 x 10	6	
67	24 x 3,5 x 10	6	
72	24 x 3,5 x 10	7	
82	24 x 3,5 x 10	7	
92	24 x 3,5 x 10	8	
102	24 x 3,5 x 10	9	
107	24 x 3,5 x 10	9	
112	24 x 3,5 x 10	10	
122	24 x 3,5 x 10	10	
127	24 x 3,5 x 10	10	
132	24 x 3,5 x 10	11	
142	24 x 4,0 x 10	11	
152	24 x 4,0 x 10	12	
162	24 x 4,0 x 10	12	
172	24 x 4,0 x 10	12	
182	24 x 4,0 x 10	12	
202	24 x 4,0 x 10	15	
225	24 x 4,5 x 10	15	
232	24 x 4,5 x 9	16	
250	24 x 4,5 x 9	17	
300	24 x 5,0 x 8	21	
350	24 x 5,0 x 8	23	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMANTBOHRKRONEN LASER]** 

- Application: Concrete (also reinforced), also ductile
- Connection: **3-loch**
- Standard length: 300(320) mm
- Machines: 1 – 20 KW




Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
102	24 x 3,5 x 9	9	
108	24 x 3,5 x 8	9	
112	24 x 3,5 x 9	9	
122	24 x 3,5 x 9	10	
127	24 x 3,5 x 10	10	
138	24 x 3,5 x 9	11	
152	24 x 4,0 x 9	12	
162	24 x 4,0 x 9	12	
165	24 x 4,0 x 10	12	
172	24 x 4,0 x 10	12	
178	24 x 4,0 x 9	13	
182	24 x 4,5 x 9	14	
186	24 x 4,0 x 10	12	
195	24 x 4,5 x 9	15	
200	24 x 4,0 x 10	15	
212	24 x 4,0 x 10	15	
226	24 x 4,5 x 10	16	
232	24 x 4,5 x 10	16	
247	24 x 4,5 x 10	16	
257	24 x 4,5 x 10	17	
266	24 x 5,0 x 10	17	
276	24 x 5,0 x 10	17	
297	24 x 5,0 x 10	21	
354	24 x 5,0 x 10	23	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND-COREBIT FOR DRILLING DRY LASER]** 


- Application: Concrete (also reinforced), poroton, masonry etc.
- Connection: 1 ¼" UNC
- Standard length: 400 mm
- Machines: for all common drilling machines



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
68	16 x 3,0 x 10	4	
82	24 x 3,5 x 10	4	
102	24 x 3,5 x 10	5	
112	24 x 4,0 x 10	6	
127	24 x 4,0 x 10	6	
152	24 x 4,0 x 10	7	
172	24 x 4,0 x 10	7	
187	24 x 4,0 x 10	9	
200	24 x 4,0 x 10	10	

**[DIAMOND-COREBIT FOR DRILLIND DRY LASER M16 IG]** 

- Application: Concrete (also reinforced), poroton, masonry etc.
- Connection: M16 female
- Standard length: 170 mm
- Machines: for all common drilling machines



Ø MM	CONCRETE LASER WITH TURBO SEGMENT		PRICE €
	DIMENSION MM	PIECES	
30	16 x 3,0 x 8	3	
40	16 x 3,0 x 8	3	
52	16 x 3,0 x 8	3	
62	16 x 3,0 x 8	3	
68	24 x 3,5 x 8	3	
72	16 x 3,0 x 8	4	
82	24 x 3,5 x 8	4	
92	24 x 3,5 x 8	4	
102	24 x 3,5 x 8	5	
112	24 x 4,0 x 8	6	
127	24 x 4,0 x 8	6	
132	24 x 4,0 x 8	6	
142	24 x 4,0 x 8	7	
152	24 x 4,0 x 8	8	
162	24 x 4,0 x 8	8	
179	24 x 4,0 x 8	8	
202	24 x 4,0 x 8	10	

Further dimensions are available on request.

1

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.



**[DIAMOND COREBIT PREMIUM RING SINTERD]** 


- Application: Concrete (also reinforced), natural stone etc.
- Segment height: 10 mm
- Connection: R 1/2" male
- from  $\varnothing$  26mm laser
- Machines: for all common drilling machines



$\varnothing$ MM	STANDARD LENGTH: 150 MM PRICE €	STANDARD LENGTH: 300 MM PRICE €
8		
10		
12		
14		
16		
18		
20		
22		
24		
26		
28		
30		
32		
36		
40		
42		
46		
51		

**[DIAMOND TILE DRILL PREMIUM VACUUM BRAZED]** 

- Application: Tiles, granite, ceramics, marble etc.
- Standard length: 35mm (5 – 14mm) + 50mm (16 – 120 mm)
- Connection: M14 female
- Segment height: 15mm
- Machines: for all common drilling machines



$\varnothing$ MM	PRICE €	$\varnothing$ MM	PRICE €
5		45	
6		50	
8		55	
10		60	
12		65	
14		68	
18		73	
20		75	
22		80	
25		82	
27		85	
32		90	
35		95	
38		100	
40		110	
42		120	

With a special wax inside for cooling and dust control (5-14mm)

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup> price in EURO per piece, ex warehouse. Our general conditions are valid.

## [DRILLING ACCESSORIES]

### Extensions



DESCRIPTION	PRICE €
Extension 1 1/4" SW 41 100 mm	
Extension 1 1/4" SW 41 200 mm	
Extension 1 1/4" SW 41 300 mm	
Extension 1 1/4" SW 41 400 mm	
Extension 1 1/4" SW 41 500 mm	
Extension r 1/2" SW 22 100 mm	
Extension r 1/2" SW 22 200 mm	
Extension r 1/2" SW 22 300 mm	
Extension r 1/2" SW 22 400 mm	
Extension r 1/2" SW 22 500 mm	

extension with other junctions possible

### Adapter




BEZEICHNUNG	PRICE €
Adapter 1 1/4" („female“ thread) - r 1/2" („female“ thread)	
Adapter 1 1/4" („male“ thread) - r 1/2" („male“ thread)	
Adapter 1 1/4" („male“ thread) - B.B.T. („female“ thread)	
Adapter 1 1/4" („female“ thread) - B.B.T. („male“ thread)	
Adapter 1 1/4" („male“ thread) - M 38 („female“ thread)	
Adapter 1 1/4" („female“ thread) - M 38 („male“ thread)	
Adapter B.B.T. („male“ thread) - r 1/2" („male“ thread)	
Adapter B.B.T. („female“ thread) - r 1/2" („female“ thread)	
Adapter 1 1/4" („female“ thread) - 3-hole-flange	
Adapter DDBI - r 1/2"	
Adapter DDBU - 1 1/4" UNC	
Adapter 1 1/4" UNC - SDS Bi	
Adapter SDS-Plus - M16 kurz 100 mm	
Adapter SDS-Plus - M16 lang 200 mm	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup>price in EURO per piece, ex warehouse. Our general conditions are valid.

**[DIAMOND SOCKET COREBIT STANDARD]** 

- Application: masonry
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PRICE € WITHOUT ACCESSORIES
68	M16	3	7	
82	M16	4	7	

**[DIAMOND-SOCKET COREBIT PROFESSIONAL]** 

- Application: Concrete (also slightly reinforced), sandlime brick, masonry etc.
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PROFESSIONAL QUALITY WITH TURBO SEGMENT PRICE €
68	M16	3	9	
82	M16	4	9	

**[DIAMOND-SOCKET COREBIT QUADRO]** 

- Application: Concrete (also slightly reinforced), sandlime brick, poroton, masonry etc.
- Connection: M16 female
- Machines: for all common drilling machines



Ø MM	CONNECTION	SEGMENT PIECES	SEGMENT HEIGHT MM	PROFESSIONAL QUALITY WITH TURBO SHORT TEETH PRICE €
68	M16	6	10	
82	M16	8	10	

Further dimensions are available on request. <sup>1</sup>

<sup>1</sup>price in EURO per piece, ex warehouse. Our general conditions are valid.

# legend



angle grinder



masonry saw



tiles machine



motor cutter



floor saw petrol/diesel



handmachine for core drilling



hand drilling machine



core drilling machine



floor drilling machine



economy quality



basic quality



medium quality



professional quality



super professional quality



wet cutting



dry cutting



laser welding



soldered



Turbo



silenced



wire saw



bridge saw



wall saw



made in germany